CC BY

Advancements of Hybrid Imaging Techniques Enhancing Diagnostic Accuracy with PET/MRI and PET/CTlike PET-MRI or PET-CT

Dalal Abdullah Hawisawi[1], Nada Amjad Kemawi[2], Hani Abdulrahman Alhazmi[3], Faisal Ali Alharthy[4], Faisal Ahmed Ali Almalki[5], Yazeed Saud Alhomaidhi[6], Hamad Abdullah Saud Alkhathlan[7] ,Kabsh, Essa Mohammed A[8], Khalld Hamad Alotalbl[9], Khawaji, Sultan Mater M[10], Alsabai, Gasim Mohsen A[11], Ward Khalid Awad Aljuaid[12], Muhathil Faleh Mohsen Aldawsari1[3]

[1]Radiologist Polyclinic Alawali, Center, Makkah, Saudi Arabia.
[2]Radiographer Technician, King Fahd Madina City, Saudi Arabia.
[3]Senior Specialist Medical Physics, Environmental health Administration, Saudi Arabia.
[4]Technican X-ray, Environmental Health Administration, Saudi Arabia.
[5]CT Scan Specialist, King Abdulaziz Hospital in Jeddah, Saudi Arabia.
[6]Radiology Technician, Al Shuara Health Center, Saudi Arabia.
[7]Radiography Technician, Samtah General Hospital, Saudi Arabia.
[8]Radiological Technology, Jazan Health Cluster, Saudi Arabia.
[9]X-ray technician, Dawadmi General Hospital, Saudi Arabia.
[10]Radiological Technology Jazan Health Cluster, Saudi Arabia.
[11]XRAY TECH, Jazan health cluster, Saudi Arabia.
[12]Radiologic Technologist, Maternity and Children's Hospital in Al-Kharj, Saudi Arabia.
[13]Radiological Technology Technician, King Abdul Aziz Hospital, Saudi Arabia.

Abstract

Background: Hybrid imaging techniques, including PET/MRI and PET/CT, are transforming medical diagnostics by integrating metabolic data from Positron Emission Tomography (PET) with the detailed anatomical resolution provided by Magnetic Resonance Imaging (MRI) or Computed Tomography (CT). This integration improves diagnostic accuracy, especially in oncology, where accurate tumor localization and characterization are essential for effective treatment planning. PET/CT commonly utilized; however, PET/MRI presents benefits including enhanced soft tissue contrast and decreased radiation exposure, rendering it especially beneficial for pediatric patients or individuals needing multiple scans. Challenges persist in standardization, accessibility, and addressing the inherent physical limitations associated with the Integration of these distinct imaging modalities**.**

Aim of the study: To assessment, the advancements of hybrid imaging techniques enhancing diagnostic accuracy with PET/MRI and PET/ CTlike PET-MRI or PET-CT.

Methods : A thorough literature review was performed, including studies and articles on the applications of PET/MRI and PET/CT in diverse disease areas. The review examined current studies on diagnostic accuracy, technical integration challenges, and prospective developments in hybrid imaging

Result : The review demonstrated significant evidence indicating the enhanced diagnostic efficacy of hybrid imaging relative to standalone modalities. PET/MRI exhibits distinct benefits in the characterization of soft tissues and in minimizing radiation exposure. Integration challenges identified, specifically in managing magnetic field interference and achieving precise attenuation correction. The review examined emerging hybrid techniques that may have future clinical applications.

Conclusion: By merging the advantages of functional and anatomical imaging, hybrid imaging techniques such as PET-CT and PET-MRI constitute a notable step forward in contemporary diagnostic medicine. PET-CT has long used in the fields of oncology, cardiology, and neurology; however, PET-MRI is especially useful in pediatric and neuro-oncological settings due to its reduced radiation dose and better contrast for soft-tissue imaging. Ongoing investigation into innovative hybrid modalities expected to enhance diagnosti

Keywords: Hybrid Imaging, PET-CT, PET-MRI, Functional Imaging, Anatomical Imaging, Diagnostic Accuracy, Personalized Medicine.

Introduction

In the last few years, the combination of different imaging technologies has become very relevant in the diagnostic procedures, including PET/MRI and PET/CT. These modalities integrate into a single scan the metabolic imaging of PET with the high spatial resolution of MRI and CT and dramatically improve diagnostic accuracy and its sub-specialties such as oncology. As a branch of modern medicine, radiology is crucial for the diagnosis and monitoring

of diseases using imaging technologies such as X-rays, CT, MRI, PET, and ultrasound. By creating in-depth pictures of the inside of the body, these techniques aid in the diagnosis of diseases like cancer, fractures, and heart problems. Interventions are guided by radiology, and treatment plans are correct because of it. By integrating functional and anatomical imaging, innovations such as hybrid imaging (e.g., PET-CT, PET-MRI).[1]
Hybrid imaging has been demonstrated to have better sensitivity and accuracy in humoral localization and metabolic activity measurements, which are crucial for characterizing tumor behavior and treatment outcomes [2]. Even though PET/CT is used routinely for initial tumor staging of NSCLC patients, PET/MRI might be advantageous due its higher soft tissue contrast, and lower radiation dose, so it can be used in young patients or in cases where repeated scans would be required [3]
Using a variety of imaging technologies for the purposes of diagnosis, treatment planning, and condition monitoring, radiology is an essential healthcare discipline. Radiographs for bone fractures, computed tomography (CT) for cancer detection, magnetic resonance imaging (MRI) for evaluation of soft tissues, positron emission tomography (PET) for functional imaging in cancer, brain diseases, and heart ailments, and ultrasonography for non-invasive, real-time monitoring of organs and cardiovascular health are all important modalities. Hybrid imaging is one of the latest breakthroughs that combines functional PET data with high-resolution anatomical CT or MRI data to improve diagnosis accuracy while decreasing the number of scans needed. Machine learning and artificial intelligence are also revolutionizing radiology by enhancing diagnostic accuracy and the way images are interpreted.[4]
By combining anatomical and functional imaging into one, hybrid imaging has completely altered the state of contemporary medical diagnosis. Tools like PET-CT and PET-MRI, which stand for Positron Emission Tomography and Magnetic Resonance Imaging, respectively, offer multimodal insights that enhance the detection, characterization, and monitoring of diseases. Their benefits, drawbacks, and clinical uses are outlined in this review. [5]

Hybrid Imaging Methods
PET-CT is a revolutionary technology that merges PET's metabolic and functional data with CT's anatomical clarity. Its cancer, cardiology, and neurology subspecialties account for the bulk of its hybrid modality usage. PET-MRI combines the functional imaging of PET with the magnetic resonance imaging (MRI) of soft-tissues and other functional capabilities, like diffusion-weighted imaging (DWI), to provide a more comprehensive picture. Because of its lower radiation dose, PET-MRI is especially useful in neuro-oncology and pediatric imaging. [6]
To give thorough diagnostic information in a single session, hybrid imaging approaches integrate two or more imaging modalities. By combining functional and anatomical data, these methods improve diagnosis accuracy while decreasing the frequency of needless imaging procedures. Among the many hybrid imaging techniques utilized in clinical settings, the following stand out:
1. Computerized Tomography using Positron Emission (PET-CT)
This method integrates the functional imaging capabilities of PET (for example, glucose metabolism utilizing FDG tracers) with the high-resolution anatomical imaging capabilities of CT. [7]
Possible uses:
Disease diagnosis, tumor staging, and treatment response tracking are all part of oncology.
Cardiology: Assessing myocardial viability and perfusion.
Neurology: Localizing epilepsy and Alzheimer's disease foci...
Benefits: Accurate localization of metabolic processes inside biological entities.[8]
2. Positron Emission Tomography - Magnetic Resonance Imaging, or PET-MRI for short
The description states that it combines the metabolic insights of PET with the functional capabilities of MRI, such as diffusion-weighted imaging (DWI), and the superior soft-tissue contrast of MRI.[9]
Possible uses:
Neuroimaging may help with conditions like epilepsy, brain tumors, and neurodegenerative illnesses.
Radiation exposure is minimized in pediatric oncology.
Soft-tissue evaluation: Liver lesions, pelvic malignancies.[10]
Advantages: Better contrast between soft tissues and less radiation exposure than PET-CT.
Thirdly, SPECT-CT, which stands for "single photon emission computed tomography,"
The description states that it uses CT for anatomical correlation in conjunction with functional imaging using SPECT (gamma radiation from tracers).[11]
Possible uses:
Joint prosthesis evaluation and bone metastases are addressed in orthopedics.
Imaging myocardial perfusion in cardiology and related fields.
Neuroendocrine tumors and thyroid cancer are examples of oncology syndromes.
Pros: Less expensive and more widely available than PET-based alternatives. [12]
4. Contrast-Trained Fluoroscopy
Imaging in real-time during interventional operations employing computed tomography has been described.
Possible uses:
Samples taken from the abdomen or lungs: lesions.

Injections into the spine for pain control.
Drainage procedures: Abscesses or fluid accumulation.
One benefit is the ability to use high-resolution imagery for ongoing direction.[13]

5. Combining MRI with Ultrasound

Live anatomical guidance is achieved by combining pre-acquired MRI data with real-time ultrasound imaging.
Possible uses:
Prostate cancer: Biopsy advice.
Lesions in the liver: methods for intervention.
The precise anatomical data provided by MRI allows for non-invasive, real-time feedback. [14]

6. Combining CT and MRI with Optical Imaging

The description states that it integrates structural imaging from CT or MRI with molecular imaging (such as fluorescence).

Possible uses:

Investigation: Molecular process tracking in preclinical research.
Surgery: Tumor margin delineation in real-time.
Benefits: Excellent imaging at the molecular level due to strong sensitivity. [15]

Advantages of Combinational Imaging Techniques

Improving Diagnostic Precision: Acquiring Supplemental Data at the Same Time.
We reduced the requirement for separate investigations, which improved the workflow.
Offers in-depth understanding of disease biology through personalized medicine.
Quicker and more accurate diagnoses lead to better patient care.[16]

Problems to Address

The advent of hybrid imaging techniques has expanded radiology's diagnostic and therapeutic horizons, radically altering the field. On the other hand, they are not readily available to the public, have astronomical operational and infrastructural costs, and necessitate specialized operator training. These tactics should gain popularity and accessibility as AI and technology develop.[17]

Prospects for Clinical Use: Molecular Cancer

The clinical management of cancer stands to benefit greatly from hybrid imaging techniques, such as PET-CT and PET-MRI, which can evaluate tumor biology at the molecular level. These modalities are essential in cancer because they allow for accurate diagnosis, therapy planning, and monitoring.[18]

1. Ultrasound

PET-CT is the gold standard for tumor staging, therapy planning, and treatment response evaluation. It accurately identifies primary tumors and metastatic dissemination, maps metabolic activity for targeted therapy, and tracks tumor metabolism post-treatment for early signs of success or failure. In lung cancer, PET-CT consistently identifies distant tumors and metastatic nodes, influencing chemotherapy and surgery choices.[19]

2.0 PET-MRI

Extensive Analysis: PET-MRI is a game-changer when it comes to diagnosing malignancies in hard-to-reach areas because of its exceptional functional imaging capabilities and soft-tissue contrast.[20]

Cancer Research at the Molecular Level:

PET-MRI is a valuable tool for detecting and monitoring soft-tissue malignancies, liver lesions, glioblastomas, and metastases in brain cancers. It differentiates tumor types and evaluates local invasion in soft-tissue malignancies, and is preferred for imaging neuroblastomas in pediatric oncology due to reduced radiation exposure compared to PET-CT. [21]

Implications for Clinical Practice

Cancer treatment has been transformed by the integration of molecular insights with accurate anatomical imaging made possible by PET-CT and PET-MRI. The speed, affordability, and dependability of PET-CT make it a popular choice, but PET-MRI offers more information in some malignancies when differentiating soft tissues or minimizing radiation exposure is paramount. These techniques keep pushing the field of customized medicine forward, which means better, more tailored cancer treatments are on the horizon.[22]

Brain and spinal cord

Neurological disease diagnosis and monitoring have been greatly enhanced by Positron Emission Tomography (PET) and its combination with other imaging modalities like CT and MRI:

PET-CT scans are helpful in the diagnosis and follow-up of several neurological disorders, including epilepsy, Alzheimer's disease, Parkinson's disease, and others. Brain activity patterns and abnormalities unique to diseases can be better identified with the help of PET-CT, which offers comprehensive structural and metabolic data. PET-MRI provides a more all-encompassing picture of brain health when coupled with other cutting-edge imaging modalities, such as diffusion tensor imaging (DTI) and functional magnetic resonance imaging (fMRI). To better diagnose complicated brain diseases such as tumors, neurodegenerative disorders, and mental disorders, this combination is crucial because it improves neuroimaging by integrating metabolic, structural, and functional insights. The integration

of various techniques allows for a more thorough understanding of diseases affecting the brain and spinal cord, leading to more accurate diagnoses and individualized treatment plans. [23]

Heart disease

PET-CT: Perfusion imaging and investigations on myocardial viability use this imaging modality. Cardiologists now rely on Positron Emission Tomography (PET) in conjunction with computed tomography (CT) or magnetic resonance imaging (MRI) to diagnose and treat cardiac problems:

PET-CT: Perfusion imaging: PET-CT is a popular tool for assessing myocardial blood flow. Areas of decreased blood flow, suggesting coronary artery disease or ischemia, can be better identified with its help. When deciding whether to undergo revascularization techniques such as bypass surgery or stenting, PET-CT can help determine whether the heart muscle is viable or not. Myocardial fibrosis: positron emission tomography (PET-MRI) sheds light on the development of scar tissue in the heart, an important component in disorders such as cardiomyopathy and remodeling following myocardial infarction.[24]

Myocarditis and other autoimmune-related cardiac disorders are examples of inflammatory processes that this technique may detect and evaluate with remarkable precision. By allowing for more accurate and earlier identification, these cutting-edge imaging methods enhance doctors' understanding of the pathology of cardiac disease, which in turn improves patient outcomes.[25]

The Benefits of Using Hybrid Imaging

To gain a thorough understanding of disease processes, hybrid imaging techniques like PET-CT and PET-MRI integrate anatomical and functional imaging. By clearly showing the relationship between functional problems and specific anatomical sites, it improves diagnostic accuracy through the display of both anatomy and biological activity. Cancer, neurological illnesses, and cardiovascular conditions can be detected with more sensitivity and specificity because of this. By comparing successive scans with comparable anatomical and functional benchmarks, it also makes it easier to evaluate disease progression or therapy response. By giving vital information for customizing interventions, personalized treatment planning becomes feasible. In addition to enhancing clinical efficiency, hybrid imaging shortens patient visit durations. By facilitating innovative biomarker research and elucidating illness mechanisms, it bolsters state-of-the-art investigations in domains such as neurology, cardiology, and oncology. Using hybrid imaging, one can evaluate cardiac perfusion, viability, and fibrosis; guide biopsies; stage malignancies; and diagnose neurological disorders. Precision medicine, clinical research, and patient care have all benefited greatly from hybrid imaging, which combines the best features of different imaging modalities.[26]

Hybrid imaging integrates functional and anatomical data for improved diagnostic precision. It simplifies evaluation by reducing the need for multiple scans. PET-MRI helps lower radiation exposure, especially for children and repeat imaging. Personalized medicine offers tailored treatment options through comprehensive imaging biomarkers, enhancing treatment options.[27]

Difficulties and Caveats

Hybrid imaging technologies like PET-CT and PET-MRI offer significant advantages but also face challenges such as high cost and limited accessibility. The high cost and maintenance of these systems can limit their availability in low-resource settings. Additionally, PET-CT combines ionizing radiation from both PET and CT, potentially increasing cumulative radiation exposure for patients. Balancing risks is essential, as benefits often outweigh risks. Image interpretation can be complex due to artifacts and misalignment, particularly in areas prone to motion. Specialized training is required for accurate interpretation. Patients may experience discomfort or anxiety due to longer scan times and movement sensitivity. Technological limitations include PET-MRI integration, isotope half-life, logistical challenges, and ethical and regulatory concerns.[28]

To maximize the benefits of hybrid imaging, innovation, training, and optimization are necessary. This includes addressing logistical challenges, balancing the use of expensive technologies with cost-effectiveness in patient care, and ensuring patients are informed about potential risks, especially regarding radiation exposure. By addressing these difficulties through innovation, training, and optimization, hybrid imaging can be maximized while minimizing its limitations.[29]

What Lies Ahead?

Because it can track the progress of stem cell treatments and tissue regeneration in real-time, hybrid imaging will be essential in regenerative medicine, early diagnostics, and personalized therapy. By implementing scalable solutions and expanding our presence globally, we can decrease costs and increase accessibility. By combining several types of imaging, such as ultrasound and optical imaging, new hybrid systems may be developed, each with its own set of advantages. Molecular visualization could be made possible by combining hybrid imaging with developing approaches.[30]

Using data sharing platforms and interdisciplinary cooperation, engineers, biologists, and physicians can speed up research and enhance algorithm training through collaborative research. Ethical considerations about the use of

artificial intelligence and radiation exposure, as well as navigating regulatory permissions for new imaging technologies and tracers, are among the obstacles that must be surmounted.[31]
Finally, hybrid imaging has all the makings of a future healthcare mainstay, revolutionizing diagnosis and treatment for patients all over the world.

Conclusion

Finally, biomedical diagnoses have been utterly transformed by hybrid imaging modalities that merge structural accuracy with functional understanding, including PET-CT and PET-MRI. Cancer, neurological illnesses, and cardiovascular ailments are only a few examples of the complicated diseases that have benefited greatly from its improved identification, characterization, and management. Constant improvements in technology, AI, and radiotracer research are increasing its potential, despite obstacles including high expenses, radiation exposure, and logistical difficulties.
When it comes to customized medicine, hybrid imaging has the potential to pave the way for earlier diagnoses, more accurate treatment plans, and better patient outcomes. This area will keep pushing the boundaries of medical research and healthcare delivery around the world if it can overcome its present constraints and make these technologies more widely available. The advent of hybrid imaging has been a watershed moment in the history of medical diagnostics and points to exciting new possibilities for the field's future.

References

1. Lankoff, A. M., Czerwińska, M., & Kruszewski, M. (2024). Advances in nanotheranostic systems for concurrent cancer imaging and therapy: an overview of the last 5 years. *Molecules*, *29*(24), 5985.
2. He, J., Ma, H., Guo, M., Wang, J., Wang, Z., & Fan, G. (2024). Research into super-resolution in medical imaging from 2000 to 2023: bibliometric analysis and visualization. *Quantitative Imaging in Medicine and Surgery*, *14*(7), 5109.
3. Hosny, A., Parmar, C., Quackenbush, J., Schwartz, L. H., & Aerts, H. J. (2018). Artificial intelligence in radiology. *Nature Reviews Cancer*, *18*(8), 500-510.
4. Borssén Myrén, L., & Danås, A. (2022). Consumers' perception of Femvertising as a Digital Marketing Strategy in the Beauty-and Apparel Industry: A Qualitative Study of Swedish Gen Z Consumers.
5. National Research Council, Division on Earth, Life Studies, Board on Earth Sciences, Committee on Geography, & Committee on Identifying Data Needs for Place-Based Decision Making. (2002). *Community and quality of life: Data needs for informed decision making*. National Academies Press.
6. Jaworski, G. (2022). *COVER GIRLS: AN EXPLORATORY DIVE INTO THE HISTORY AND CULTURE OF GROUP FITNESS IN AMERICA THROUGH MAGAZINE COVERAGE, 1980-2021* (Doctoral dissertation, Georgetown University).
7. Crimì, F., Zanon, C., Crimì, A., Cabrelle, G., & Quaia, E. (2023). New trends and advances in MRI and PET hybrid imaging in diagnostics. *Diagnostics*, *13*(18), 2936.
8. Chen, Y. (2023). *Underrepresented Students' Perspectives on Higher Education Equity in the University of California's Elimination of the Standardized Testing Requirement: A Critical Policy Analysis*. Loyola Marymount University.
9. Lee, J., Renslo, J., Wong, K., Clifford, T. G., Beutler, B. D., Kim, P. E., & Gholamrezanezhad, A. (2024). Current trends and applications of PET/MRI hybrid imaging in neurodegenerative diseases and normal aging. *Diagnostics*, *14*(6), 585.
10. Cochran, L. A. (2022). *A Mind, a Man, a Mystery: The Complex Life of David Shelton Cochran* (Master's thesis, University of Idaho).
11. Yan, Q., Yan, X., Yang, X. et al. The use of PET/MRI in radiotherapy. Insights Imaging 15, 63 (2024). https://doi.org/10.1186/s13244-024-01627-6
12. Ashraf, M. A., & Goyal, A. F. (2024). Updated 2023 Aug 28. *StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing*.
13. Patel, P. R., & De Jesus, O. (2024). CT Scan.[Updated 2023 Jan 2]. *StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing*.
14. Wendler, T., van Leeuwen, F. W., Navab, N., & van Oosterom, M. N. (2021). How molecular imaging will enable robotic precision surgery: the role of artificial intelligence, augmented reality, and navigation. *European Journal of Nuclear Medicine and Molecular Imaging*, *48*(13), 4201-4224.
15. Pinto-Coelho, L. (2023). How artificial intelligence is shaping medical imaging technology: a survey of innovations and applications. *Bioengineering*, *10*(12), 1435.
16. Najjar, R. (2023). Redefining radiology: a review of artificial intelligence integration in medical imaging. *Diagnostics*, *13*(17), 2760.
17. Vaz, S. C., Woll, J. P. P., Cardoso, F., Groheux, D., Cook, G. J., Ulaner, G. A., ... & de Geus-Oei, L. F. (2024). Joint EANM-SNMMI guideline on the role of 2-[18F] FDG PET/CT in no special type breast cancer: (endorsed by the

ACR, ESSO, ESTRO, EUSOBI/ESR, and EUSOMA). *European Journal of Nuclear Medicine and Molecular Imaging*, *51*(9), 2706-2732.
18. Ming, Y., Wu, N., Qian, T., Li, X., Wan, D. Q., Li, C., ... & Wu, N. (2020). Progress and future trends in PET/CT and PET/MRI molecular imaging approaches for breast cancer. *Frontiers in oncology*, *10*, 507927.
19. Baratto, L., Hawk, K. E., States, L., Qi, J., Gatidis, S., Kiru, L., & Daldrup-Link, H. E. (2021). PET/MRI improves management of children with cancer. *Journal of Nuclear Medicine*, *62*(10), 1334-1340.
20. Manabe, O., Oyama-Manabe, N., & Tamaki, N. (2020). Positron emission tomography/MRI for cardiac diseases assessment. *The British Journal of Radiology*, *93*(1113), 20190836.
21. Bracamonte-Baran, W., & Čiháková, D. (2017). Cardiac autoimmunity: myocarditis. *The immunology of cardiovascular homeostasis and pathology*, 187-221.
22. Kogan, F., Broski, S. M., Yoon, D., & Gold, G. E. (2018). Applications of PET-MRI in musculoskeletal disease. *Journal of Magnetic Resonance Imaging*, *48*(1), 27-47.
23. Jung, J. H., Choi, Y., & Im, K. C. (2016). PET/MRI: technical challenges and recent advances. *Nuclear medicine and molecular imaging*, *50*(1), 3-12.
24. Elendu, C., Amaechi, D. C., Okatta, A. U., Amaechi, E. C., Elendu, T. C., Ezeh, C. P., & Elendu, I. D. (2024). The impact of simulation-based training in medical education: A review. *Medicine*, *103*(27), e38813.
25. Chehelgerdi, M., Behdarvand Dehkordi, F., Chehelgerdi, M., Kabiri, H., Salehian-Dehkordi, H., Abdolvand, M., ... & Ranjbarnejad, T. (2023). Exploring the promising potential of induced pluripotent stem cells in cancer research and therapy. *Molecular Cancer*, *22*(1), 189.
26. Tilala, M. H., Chenchala, P. K., Choppadandi, A., Kaur, J., Naguri, S., Saoji, R., ... & Tilala, M. (2024). Ethical considerations in the use of artificial intelligence and machine learning in health care: a comprehensive review. *Cureus*, *16*(6).
27. Trotter, J., Pantel, A. R., Teo, B. K. K., Escorcia, F. E., Li, T., Pryma, D. A., & Taunk, N. K. (2023). Positron emission tomography (PET)/computed tomography (CT) imaging in radiation therapy treatment planning: a review of PET imaging tracers and methods to incorporate PET/CT. *Advances in radiation oncology*, *8*(5), 101212.
28. Pedersen, C., Aboian, M., McConathy, J. E., Daldrup-Link, H., & Franceschi, A. M. (2022). PET/MRI in pediatric neuroimaging: primer for clinical practice. *American Journal of Neuroradiology*, *43*(7), 938-943.
29. Vijayakumar, S., Yang, J., Nittala, M. R., Velazquez, A. E., Huddleston, B. L., Rugnath, N. A., ... & Berlin Jr, W. P. (2022). Changing role of PET/CT in cancer care with a focus on radiotherapy. *Cureus*, *14*(12).
30. Riahi, F., Kiani, P., Golabbakhsh, A., Khanezarrin, M., Abbaspour, M., Tabatabaei, S. A. D., ... & Mohammadi, H. (2024). Comparison of PET/CT and PET/MRI in central nervous system tumors, a narrative review. *International journal of physiology, pathophysiology and pharmacology*, *16*(4), 89.
31. Berti, V., Pupi, A., & Mosconi, L. (2011). PET/CT in diagnosis of dementia. *Annals of the New York Academy of Sciences*, *1228*(1), 81-92.