



Computational Modeling and AI Optimization in Renewable Energy: Floating Solar Panels and Circular Economy Applications

Monette D. Apor¹

Abstract

This study examines the integration of computational modeling, artificial intelligence (AI) optimization, and circular economy principles to enhance the efficiency and sustainability of floating solar panel systems. This research employs computational modeling with ANSYS Fluent to simulate the thermal and electrical performance of floating solar panels across various climatic conditions. Artificial intelligence optimization methods—machine learning (Gradient Boosting Regressor), evolutionary algorithms, reinforcement learning (Deep Q-Networks)—are used to maximize energy yield and adaptive performance. Outcomes show that floating solar panels have an 8.5% increase in energy yield and a 12.1% decrease in material degradation compared to ground installations. AI optimization resulted in a 7.2% improvement in energy output using genetic algorithms and a 5.6% improvement with real-time reinforcement learning adjustments. The study highlights the use of very recyclable materials using the principles of circular economy, resulting in a possible 25% reduction in waste and a 30% improvement in system lifespan. This integrated strategy shows that combining sustainable design with state-of-the-art computational methods enhances the environmental sustainability and operational performance of floating solar technology, catering to the twofold concerns of renewable power generation and green responsibility.

¹College Of Maritime Sciences Cebu Technological University - Carmen Campus

Email: monette.apor@ctu.edu.ph

*Corresponding author

DOI: 10.70102/IJARES/V6IS1/6-S1-25

Keywords: floating solar panels, computational modeling, AI optimization, circular economy, renewable energy sustainability.

Introduction

The increasing global demand for renewable energy sources is propelled by the pressing necessity to alleviate climate change and diminish dependence on fossil fuels, which constitute over 75% of global greenhouse gas emissions (United Nations, 2020). Among renewable energy technologies, solar power is distinguished by its extensive availability and technological advancement (Major 2024). Nonetheless, land scarcity and competing land-use issues provide considerable obstacles to the extensive implementation of conventional ground-mounted solar farms (Nihli & Esan 2024). In response, floating solar panels—photovoltaic devices deployed on aquatic surfaces—have arisen as a viable option (Procario, 2024).

Float solar panels offers some significance and benefit relative to conventional schemes. Tapping unexplored water surfaces such as lakes and reservoirs relaxes pressure on valuable land assets (Nihli & Esan 2024). Thermal characteristics of water increase solar cells' efficiency since performance loss on account of heat is less (Srikanth et al., 2024). They also decrease water evaporation and algae growth, improving their environmental advantage (Manolache et al., 2023). In addition, floating solar panels can be installed on land that is not agricultural or for urbanization, thus saving land for other important uses while promoting energy production (Sudhakar et al., 2024).

In addition to the above operational advantages, floating solar panels can help create a greener energy paradigm. The intersection of computational modeling and artificial intelligence (AI) opens up new opportunities to improve system performance, forecast energy yield, and enhance overall system efficiency (Empowering Solar: How AI Is Revolutionizing Energy Harvesting and Optimization, 2023). The application of AI through circular economy concepts—design for recyclability, minimizing resource use, and maximizing material lifecycle—can potentially drastically reduce the environmental footprint of floating solar panels (Peters, 2024).

But yet there exists a wide knowledge gap that brings together computational modeling, AI optimization, and circular economy thinking synergistically. Despite advancements in floating solar technology use, the bulk of existing studies concentrate on technology suitability and energy generation (Refaai et al., 2022). Various studies only center on mechanical and electrical phenomena associated with floating solar systems while barely exploring ways artificial intelligence and computational modeling may influence their general performance (Silva et al., 2024). Computational modeling plays a major role in real-world application emulation, enhanced design parameters, and long-term operation forecasting (Orhan, 2024). Yet research aimed at transferring the technologies into solar panels installed above water continues to be embryonic.

In addition, current optimization methods for floating solar systems are mainly static, and therefore less responsive to dynamic environmental parameters. Artificial intelligence-driven methods, including machine learning and reinforcement learning, are more sensitive and accurate in regions of real-time optimization and predictive maintenance (Abdulrazzq et al., 2024). The aforementioned gap in research is the aspect of omission to leverage state-of-the-art AI methods for efficiency improvement and reliability improvement in floating solar technology. There is a critical deficiency of the limited application of ideas related to the circular economy. Solar panels mounted on aquatic ecosystems maximize the utilization of space and minimize the disruption of ecological systems, yet their lifecycle management of sustainability has not been given the required attention (Attar et al., 2024). The key questions concern the use of recyclable material, the potential for recycling components, and how waste can be minimized at the termination of a product's life. Closing the above gaps is imperative to spurring a financially sustainable and ecologically sustainable floating solar industry. The goal of this research is to fill gaps that exist with computer simulation and AI techniques to enhance the performance of floating solar panels in a circular economy. This will enable the development of an end-to-end solution to realize high

efficiency, sustainability, and lifecycle management. There are three goals of the research. First, we desire to develop mathematical models that precisely capture how floating solar panels perform in varying weather conditions. The models will account for sunlight, water temperature, and weather changes to aid in performance assessment. Second, we will employ AI techniques to optimize energy production and operational efficiency. We will do this by employing machine learning, genetic algorithms, and reinforcement learning to optimize prediction accuracy and identify the optimal panel configurations for enhanced performance and cost-efficient maintenance. We also seek to evaluate the feasibility of implementing circular economy principles in floating solar panel systems by examining material recyclability, conducting life cycle assessments of environmental consequences, and formulating recycling and repurposing plans for panel components. This paper offers a comprehensive analysis of enhancing the technological and environmental competitiveness of floating solar panel systems.

Materials and methods

Computational Modeling

Data Collection and Input Parameters

Operational and environmental information were obtained from publicly accessible climate databases, namely NASA POWER and the European Centre for Medium-Range Weather Forecasts (ECMWF). The data obtained included notable environmental parameters and system-specific characteristics (Table 1).

Table 1. Input Parameters for Computational Modeling

Parameter	Range/Value	Source
Solar Radiation	300–1000 W/m ²	NASA POWER, ECMWF
Ambient Temperature	15–40°C	NASA POWER, ECMWF
Water Surface Temperature	10–35°C	ECMWF
Wind Speed	0–10 m/s	NASA POWER
Panel Tilt Angle	5°, 15°, 25°	Experimental Design
Panel Density	40%, 60%, 80% water coverage	Experimental Design
Thermal Conductivity	0.03–0.04 W/mK (HDPE)	Material Database
Solar Radiation	300–1000 W/m ²	NASA POWER, ECMWF

Model Development and Simulation

ANNSYS Fluent was used to simulate the thermal and electrical performance of floating solar panels under practical conditions. Data preparation and processing after simulation were carried out using Python (version 3.10).




Figure 1. Workflow for Computational Modeling

The computer model included: (1) Energy Generation - Photovoltaic (PV) conversion based on the Sandia PV Array Performance Model. Heat Transfer Dynamics - Convective and radiative

heat losses from panel surfaces. Environmental Effects - The cooling influence of aquatic bodies and daily temperature variations.

Sensitivity assessments were performed by varying panel orientation, panel density, and water surface temperature. The simulations were done across one year with a temporal precision of one hour to capture seasonality.

Performance Metrics

The model's performance was evaluated using three core metrics:

- Energy Yield (kWh/m²/year) - Total energy generated annually.
- Thermal Efficiency (%) - Ratio of usable electrical energy to incident solar energy.
- System Durability - Rate of material degradation under thermal and environmental stress.

AI Optimization Techniques

Machine Learning Models

Machine learning techniques were employed to predict the energy outputs and find optimal configurations for the system. The models were created using ten years of historical environmental and operational data using Python packages like Scikit-learn and XGBoost.

Table 2. Machine Learning Model Parameters

Model Type	Algorithm	Hyperparameters
Supervised Regression	Gradient Boosting Regressor (GBR)	Learning rate = 0.01, Max depth = 6, Number of estimators = 500
Evaluation Metric	RMSE	Mean RMSE: 3.5% over 5-fold CV

The model assessment entailed 5-fold cross-validation, which yielded a mean Root Mean Square Error (RMSE) of 3.5% in the case of energy predictions.

Genetic Algorithms

To optimize panel configurations, genetic algorithms (GA) were implemented using DEAP (Distributed Evolutionary Algorithms in Python). This approach simulated evolutionary processes to identify the most efficient panel layout.




Figure 2. Genetic Algorithm Workflow

Table 3. Genetic Algorithm Parameters

Parameter	Value
Population Size	200
Crossover Rate	0.8
Mutation Rate	0.05
Generations	100

Optimization achieved a 7.2% increase in energy output compared to baseline designs.

Reinforcement Learning

A Deep Q-Network (DQN) approach was employed for real-time optimization. The AI agent adjusted panel angles and maintenance schedules in response to fluctuating environmental conditions.

Table 4. Genetic Algorithm Parameters

Parameter	Value
State Space	Solar angle, wind speed
Action Space	Tilt adjustments (-5° to +5°)
Reward Function	Maximize efficiency, minimize downtime
Training Episodes	1 million

Training resulted in an average 5.6% improvement in real-time energy output.

Circular Economy Framework

Material Selection and Design for Recyclability

Materials with high recyclability and modular design were prioritized (Table 5).

Table 5. Materials and Recyclability

Component	Material	Recyclability (%)
PV Modules	Monocrystalline Silicon	>90%
Floating Structures	High-Density Polyethylene	100%
Frames	Aluminum	95%

Life Cycle Assessment (LCA)

An ISO 14040/44-compliant LCA was conducted using SimaPro software, covering the entire lifecycle.

End-of-Life Strategies

We proposed circular strategies including refurbishment, recycling, and repurposing to reduce waste by 25% and extend system lifespan by 30%

Results and discussion

Computational modeling outcomes

The computational modeling of solar panel systems on floating platforms yielded significant insights into their electrical and thermal performance under diverse environmental circumstances. Simulation results demonstrated that water surface cooling markedly improved energy yield relative to ground systems. Energy yield increased by an average of 8.5% due to thermal regulation of the water body, which reduced temperature-related efficiency losses.

Table 6. Computational Modeling Performance Metrics

Metric	Floating Solar Panels	Ground-Mounted Panels	Improvement (%)
Annual Energy Yield (kWh/m ²)	1640	1512	+8.5%
Thermal Efficiency (%)	23.7	22.3	+6.3%

Panel Surface Temperature (°C)	35.2	39.3	-10.4%
Material Degradation Rate (%)	0.87	0.99	-12.1%

Sensitivity analysis also indicated that panel tilt angle and water surface temperature impacted energy yield the most. Energy generation was highest when the panel tilt angle was adjusted to 15°, as a function of seasons. Energy yield was maximized with 60% water coverage, thus enhancing maximum thermal dissipation and energy harvesting. The findings are also validated by Srikanth et al. (2024) and their recent research, confirming that aquatic environment enhances the efficiency of photovoltaic systems. The thermal efficiency, i.e., useful electrical energy divided by incident solar radiation, was upgraded by a total value of 6.3%. The efficiency rise is due to the water convective cooling effect, which lowers the surface temperature of the panel by 4°C. The model also predicted a reduction in the degradation rates of the panels by 12%, hence increasing the life span of the system with time.

AI Optimization Outcomes Machine Learning Predictions

The GBR model also possessed high predictive ability for energy output with an average Root Mean Square Error (RMSE) of 3.5% through the 5-fold cross-validation. Higher prediction accuracy enables the ability to predict the energy yield more accurately and leaves room for adaptive system tuning.

Table 7. AI Model Performance Metrics

AI Technique	RMSE (%)	Energy Yield Increase (%)
Gradient Boosting (GBR)	3.5	N/A
Genetic Algorithm (GA)	N/A	+7.2
Deep Q-Network (DQN)	N/A	+5.6

Genetic Algorithm Optimization

With the critical help offered by genetic algorithms (GA), researchers were able to obtain a substantial energy output of 7.2% through the optimization of the panel geometry and the associated tilt angles utilized in the installation. The algorithm showed a marked preference for certain tilt angles, as well as for moderate coverage by water, thus successfully verifying the computational model predictions previously built. In addition, the process of optimization unfolded the thrilling scope of dynamically regulating the tilt angle of the panels, which has the potential for maximizing energy gain from the surrounding environment.

Reinforcement Learning Efficiency Gains

The DQN approach showed a very impressive real-time energy generation, with a 5.6% boost. This specific reinforcement learning algorithm was able to reduce wastage of energy, even in bad weather. It did so by tilting the solar panels with respect to the changing environmental conditions. This thus confirms that artificial intelligence adaptive optimization is better than the conventional static approaches that are not based on such changes (Abdulrazzq et al., 2024).

Circular Economy Assessment

Analysis of the Circular Economy Circular Economy Analysis Circular economy analysis, as defined under this specific framework, emphasizes the imperative necessity for material selection, as well as overall end-of-life strategy, placing them atop the priority list. With these in consideration, the described design integrates, tactically, more than 90% recyclable monocrystalline silicon photovoltaic modules, combined with fully recyclable HDPE floating frames. Not only is efficiency maximized with this approach, but also effective and sustainable lifecycle management is achieved throughout the entire process.

Table 8. Circular Economy Indicators


Component	Material	Recyclability (%)
PV Modules	Monocrystalline Silicon	>90
Floating Structures	High-Density Polyethylene	100
Structural Frames	Aluminum	95

A life cycle analysis revealed that utilization of these materials can minimize the damage inflicted on the environment by 18% when put into use. In addition, the end-of-life waste management methods suggested here, such as recycling and refurbishment, can conserve 25% of waste and prolong the life of the system by 30%. The findings are in accordance with Peters (2024), who emphasized that cradle-to-cradle recycling is more sustainable for renewable energy.

Statistical Validation and Considerations of Uncertainty

To validate our results, statistical tests were conducted to quantify the observed improvement as an indicator of significance. A paired t-test between optimized and non-optimized energy outputs was statistically significant ($p < 0.01$), thereby validating the effectiveness of the optimization achieved by the application of artificial intelligence

Comparative Analysis and Implications



The integration of circular economy design principles, artificial intelligence optimization, and computational modeling achieved a synergistic boost in sustainability and efficiency in the system. The system improved over traditional floating solar systems by adding an 8.5% boost in power output, 7.2% improvement with genetic algorithm-based optimization, 5.6% contribution in real-time efficiency with reinforcement learning, 25% less waste, and 30% boost in lifespan with the incorporation of circular processes.

Conclusion

This study depicts the possible application of artificial intelligence, computer simulation, and the principles of circular economy in floating solar panels. The research demonstrates through large-scale simulations and optimization techniques that floating solar panels are more energy-efficient than ground-based systems. They also exhibit superior material performance and thermal efficiency. Computer simulation also showed that water environments offer improved heat management, resulting in an 8.5% improvement in energy generation and a 12.1% reduction in material degradation rates. AI optimization, employing techniques such as gradient boosting, evolutionary algorithms, and reinforcement learning, improved system performance by a considerable margin. For instance, genetic algorithms for panel layout optimization improved energy output by 7.2%, and real-time energy efficiency improved by 5.6% with reinforcement learning. These results indicate the possible application of AI in mitigating climate change, maximizing energy production, and minimizing inefficiencies. The suggested circular economy principle in the research depicts the advantages of sustainable raw material sourcing and end-of-

life approaches. The application of highly recyclable materials, such as monocrystalline silicon and high-density polyethylene, can lower the cumulative environmental footprint by 18% through the system lifecycle. Recycling and refurbishment can also lower 25% of waste and improve the system lifespan by 30%, promoting lifecycle-driven design in solar panel arrays for renewable energy. The research forecasts that the integration of computer simulation, AI optimization, and circular economy strategies will improve the performance, sustainability, and lifespan of floating solar panel arrays.

Recommendations

This study suggests an integrated strategy that combines computational modeling, artificial intelligence optimization, and circular economy principles to improve the technology related to floating solar panel systems. Highlighting the pivotal role of artificial intelligence in improving energy optimization in real-time, the application of machine learning, genetic algorithms, and reinforcement learning is likely to dramatically enhance the efficiency of floating solar panels. The research investigates the application of circular economy principles, including material recyclability and lifetime sustainability management, to reduce waste and maximize the system life. Future research results will need to put more efforts into encouraging synergistic partnerships between industry and academia to enable optimized energy generation and environmental mitigation.

References

1. Attar, H., Alahmer, A., Borowski, G., & Alsaqoor, S. (2024). Comprehensive review of advancements, challenges, design, and environmental impact in floating photovoltaic systems. *Ecological Engineering & Environmental Technology*, 26(2), 301–322. <https://doi.org/10.12912/27197050/199520>
2. Empowering Solar: How AI is Revolutionizing Energy Harvesting and Optimization. (2023, December 27). Aifwd.com; Protostar Studio. https://aifwd.com/field/empowering-solar-with-ai/?utm_source=chatgpt.com
3. Major. (2024, October 9). Massive global growth of renewables to 2030 is set to match entire power capacity of major economies today, moving world closer to tripling goal - News - IEA. IEA. https://www.iea.org/news/massive-global-growth-of-renewables-to-2030-is-set-to-match-entire-power-capacity-of-major-economies-today-moving-world-closer-to-tripling-goal?utm_source=chatgpt.com
4. Manolache, A. I., Andrei, G., & Rusu, L. (2023). An Evaluation of the Efficiency of the Floating Solar Panels in the Western Black Sea and the Razim-Sinoe Lagunar System. *Journal of Marine Science and Engineering*, 11(1), 203. <https://doi.org/10.3390/jmse11010203>
5. Nations, U. (2020). Renewable energy – powering a safer future | United Nations. United Nations. https://www.un.org/en/climatechange/raising-ambition/renewable-energy?utm_source=chatgpt.com
6. Nili, Maryam & Dehghani, Ehsan. (2024). An Optimization Approach for Sustainable and Resilient Closed-loop Floating Solar Photovoltaic Supply Chain Network Design. 10.21203/rs.3.rs-3930108/v1.
7. Orhan, F. (2024). Computational Math Modeling and AI Optimization for Better Decision-Making: Applications in Machine Learning. 8(1), 79. <https://doi.org/10.62802/61e8x381>
8. Peters, I. M. (2024). How Cradle-to-Cradle Recycling Supports the Transition to 100% Renewable Energies. 0247–0249. <https://doi.org/10.1109/pvsc57443.2024.10749378>
9. Procario, J. (2024, April 18). HelioRec Harnesses Solar Energy on the Sea. Ansys.com; Ansys Inc. <https://www.ansys.com/blog/heliorec-harnesses-solar-energy-on-the-sea>
10. Refaai, M. R. A., Dhanesh, L., Ganthia, B. P., Mohanty, M., Subbiah, R., & Anbese, E. M. (2022). Design and Implementation of a Floating PV Model to Analyse the Power Generation.

International Journal of Photoenergy, 2022, e3891881. <https://doi.org/10.1155/2022/3891881>

11. Silva, H., BORGES, C. O. D. S., & Sousa, N. C. A. (2024). Use of Computational Fluid Dynamics to investigate heat exchanges in Floating Solar Plate Systems. <https://doi.org/10.55592/cilamce.v6i06.10399>
12. Srikanth, K., K, S., Reddy, V., Karuppiah, N., Devi, T. A., & Hariharan, S. (2024). Enhanced Cooling Techniques for Photovoltaic Panels using Arduino-Controlled Water Circulation Systems. 601–607. <https://doi.org/10.1109/icicnis64247.2024.10823151>
13. Sudhakar, K., Kaur, N., Barbulescu, D., Mohamed, M. R., & Cuce, D. E. (2024). Floating Solar Sustainability on Land and Sea: A Strategic Assessment using SWOT-TWOS- PESTLE analysis. Science and Technology for Energy Transition. <https://doi.org/10.2516/stet/2024114>